

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 28 | BIOS with config\$8 with (option adj2 ROM\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| L2 | 1254 | 713/2.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| L3 | 789 | 710/104.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| L4 | 22 | (RBSU or (ROM near2 setup near2 (utilit\$2 or code or program\$4))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| L5 | 11 | ((system adj2 ROM) or BIOS) same ((user\$2 or operator\$2) with (select\$3 or access\$3) with (option near3 ROM)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| L6 | 408 | BIOS same (execut\$3 or access\$3) same ((device\$2 or peripheral\$2) near3 ROM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| L7 | 309 | (BIOS same (execut\$3 or access\$3) same ((device\$2 or peripheral\$2) near3 ROM)) and g06f\$.ipc. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| L8 | 7 | (RBSU or (ROM near2 base\$2 near2 system\$2 near2 utilit\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| L9 | 281 | option adj ROM | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| L10 | 238 | (option adj ROM) and ((system\$2 adj ROM) or BIOS) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| L11 | 193 | (option adj ROM) same ((system\$2 adj ROM) or BIOS) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| L12 | 1 | ((system adj2 ROM) or BIOS) same (select\$3 or access\$3) same (option near3 ROM) same (config\$9 adj2 table\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| L13 | 62 | 713/2.ccls. and 710/104.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| L14 | 35 | ((system adj2 ROM) or BIOS) same (select\$3 or access\$3) same (option near3 ROM) and 713/2. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:16 |
| L15 | 8 | ((system adj2 ROM) or BIOS) same (select\$3 or access\$3) same (option near3 ROM) and 710/104. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:16 |
| L16 | 309 | (BIOS same (execut\$3 or access\$3) same ((device\$2 or peripheral\$2) near3 ROM)) and g06f\$.ipc. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:16 |
| L17 | 16 | BIOS same (execut\$3 or access\$3) same ((device\$2 or peripheral\$2) near3 ROM) same (signature\$2 or identif\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:16 |
| L18 | 18 | (option adj ROM) and ((system\$2 adj ROM) or BIOS) same table\$2 same config\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:16 |
| L19 | 22 | (RBSU or (ROM near2 setup near2 (utilit\$2 or code or program\$4))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:16 |

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| L20 | 55 | ((system\$2 adj2 (code\$2 or ROM)) or BIOS) with execut\$4 with (option adj2 (code\$3 or ROM\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:16 |
| S1 | 4 | (RBSU or (ROM near2 base\$2 near2 system\$2 near2 utilit\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| S2 | 49198 | (execut\$3 or access\$3) same (device\$2 or peripheral\$2) same ROM | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/09 15:09 |
| S3 | 266 | BIOS same (execut\$3 or access\$3) same ((device\$2 or peripheral\$2) near3 ROM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| S4 | 211 | (BIOS same (execut\$3 or access\$3) same ((device\$2 or peripheral\$2) near3 ROM)) and g06f\$.ipc. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| S5 | 288 | option adj2 ROM | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/09 15:26 |
| S6 | 185 | option adj ROM | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| S7 | 145 | (option adj ROM) and ((system\$2 adj ROM) or BIOS) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| S8 | 114 | (option adj ROM) same ((system\$2 adj ROM) or BIOS) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| S9 | 58 | ((system adj2 ROM) or BIOS) same (select\$3 or access\$3) same (option near3 ROM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/08 22:38 |
| S10 | 0 | "20030074491".URPN. | USPAT | OR | ON | 2004/02/03 20:50 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S11 | 9 | ((system adj2 ROM) or BIOS) same ((user\$2 or operator\$2) with (select\$3 or access\$3) with (option near3 ROM)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| S12 | 0 | "2001097361".URPN. | USPAT | OR | ON | 2004/02/03 21:20 |
| S13 | 6 | ((system adj2 ROM) or BIOS) same ((user\$2 or operator\$2) with (select\$3 or access\$3) with (device adj2 driver)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/02/03 21:21 |
| S14 | 0 | ((system adj2 ROM) or BIOS) same (select\$3 or access\$3) same (option near3 ROM) same (config\$6 adj2 table\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/02/04 14:39 |
| S15 | 1 | ((system adj2 ROM) or BIOS) same (select\$3 or access\$3) same (option near3 ROM) same (config\$9 adj2 table\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| S16 | 2 | ("6349347").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/02/04 16:26 |
| S17 | 925 | 713/2.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| S18 | 641 | 710/104.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| S19 | 40 | 713/2.ccls. and 710/104.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |
| S20 | 24 | ((system adj2 ROM) or BIOS) same (select\$3 or access\$3) same (option near3 ROM) and 713/2. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:16 |

| | | | | | | |
|-----|-----|---|--|----|-----|------------------|
| S21 | 5 | ((system adj2 ROM) or BIOS) same (select\$3 or access\$3) same (option near3 ROM) and 710/104.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:16 |
| S22 | 1 | ((system adj2 ROM) or BIOS) same (select\$3 or access\$3) same (option near3 ROM) and (713/2.ccls. and 710/104.ccls.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/08 22:38 |
| S23 | 2 | ("6317828").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/22 14:09 |
| S24 | 4 | (RBSU or (ROM near2 base\$2 near2 system\$2 near2 utilit\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/08 22:38 |
| S25 | 322 | BIOS same (execut\$3 or access\$3) same ((device\$2 or peripheral\$2) near3 ROM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/08 22:38 |
| S26 | 251 | (BIOS same (execut\$3 or access\$3) same ((device\$2 or peripheral\$2) near3 ROM)) and g06f\$.ipc. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:16 |
| S27 | 174 | (option adj ROM) and ((system\$2 adj ROM) or BIOS) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/08 22:52 |
| S28 | 71 | ((system adj2 ROM) or BIOS) same (select\$3 or access\$3) same (option near3 ROM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/08 22:38 |
| S29 | 10 | ((system adj2 ROM) or BIOS) same ((user\$2 or operator\$2) with (select\$3 or access\$3) with (option near3 ROM)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/08 22:38 |
| S30 | 4 | ((system adj2 ROM) or BIOS) same (select\$3 or access\$3) same (option near3 ROM) and (713/2.ccls. and 710/104.ccls.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/08 22:38 |

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S31 | 18 | (option adj ROM) same ((system\$2 adj ROM) or BIOS) same table | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/08 22:51 |
| S32 | 25 | (option adj ROM) same ((system\$2 adj ROM) or BIOS) same (signature or identif\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/08 22:51 |
| S33 | 25 | (option adj ROM) same ((system\$2 adj ROM) or BIOS) same (signature\$2 or identif\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/08 22:51 |
| S34 | 14 | BIOS same (execut\$3 or access\$3) same ((device\$2 or peripheral\$2) near3 ROM) same (signature\$2 or identif\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:16 |
| S35 | 1 | ((system adj2 ROM) or BIOS) same ((user\$2 or operator\$2) with (select\$3 or access\$3) with (option near3 ROM)) same (signature\$2 or identif\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/08 22:52 |
| S36 | 59 | (option adj ROM) and ((system\$2 adj ROM) or BIOS) same (signature\$2 or identif\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/08 22:52 |
| S37 | 16 | (option adj ROM) and ((system\$2 adj ROM) or BIOS) same table\$2 same config\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:16 |
| S38 | 2 | ("6317828").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/10/18 10:35 |
| S39 | 4 | ((config\$8 or information\$3) adj2 (table\$2 or region\$3)) with (option adj2 ROM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/18 10:41 |
| S40 | 4 | ((config\$8 or information\$3) adj2 (table\$2 or region\$3)) with (option adj2 ROM\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/18 10:41 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S41 | 46 | ((system\$2 adj2 (code\$2 or ROM)) or BIOS) with execut\$4 with (option adj2 (code\$3 or ROM\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:16 |
| S42 | 0 | "20030074491".URPN. | USPAT | OR | ON | 2004/10/18 10:43 |
| S43 | 19 | (RBSU or (ROM near2 setup near2 (utilit\$2 or code or program\$4))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:16 |
| S44 | 441 | BIOS with config\$8 with (option ad2 ROM\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/18 11:27 |
| S45 | 27 | BIOS with config\$8 with (option adj2 ROM\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 14:15 |